

Holden Astra

Z18XE/1.8 (TS) (98-04)

- A16 ABS control module
- B19 ABS wheel speed sensor, left front
- S292 AC/heater function control panel
- K143 AC compressor clutch relay
- B161 AC refrigerant pressure sensor
- B138 Accelerator pedal position (APP) sensor
- 30 Battery +
- 31 Battery -
- S13 Brake pedal position (BPP) switch
- B132 Camshaft position (CMP) sensor
- S258 Clutch pedal position (CPP) switch
- S258 Clutch pedal position (CPP) switch
- B54 Crankshaft position (CKP) sensor
- S79 Cruise control master switch
- X1 Data link connector (DLC)
- A161 Digital multifunction display
- A35 Engine control module (ECM)
- K46 Engine control relay
- A95 Engine coolant blower motor control module
- K12-I Engine coolant blower motor relay 1
- K12-I Engine coolant blower motor relay 1
- K12-II Engine coolant blower motor relay 2
- K12-III Engine coolant blower motor relay 3
- K12-IV Engine coolant blower motor relay 4
- B24 Engine coolant temperature (ECT) sensor
- H63 Engine malfunction indicator lamp (MIL)
- Y104 Evaporative emission (EVAP) canister purge valve
- F2
- F6
- F13
- F23
- F38
- F46
- F62
- M12 Fuel pump
- K20 Fuel pump relay
- B72-I Heated oxygen sensor (HO2S) 1
- B72-II Heated oxygen sensor (HO2S) 2
- T1 Ignition coil
- 15 Ignition switch - ignition ON

- A162 Immobilizer control module
- Y3-I Injector 1
- Y3-II Injector 2
- Y3-III Injector 3
- Y3-IV Injector 4
- A75 Instrumentation control module
- A5 Instrument panel
- B25 Intake air temperature (IAT) sensor
- Y102 Intake manifold air control solenoid
- B69 Knock sensor (KS)
- B30 Mass air flow (MAF) sensor
- M142 Power steering pump
- H50 Service indicator
- A177 Throttle control unit
- M89 Throttle motor
- B169 Throttle motor position sensor
- A123 Vehicle speed sensor (VSS) signal amplifier





